

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec. Length of strip	CL-12V12W-W Name:Wall plug power supply Power:12W Input voltage:100-240V Output voltage:12V Output current:1A Protection grade:IP20	CL-12V15W-W Name:Wall plug power supply Power:15W Input voltage:100-240V Output voltage:12V Output current:1.25A Protection grade:IP20	CL-12V18W-W Name:Wall plug power supply Power:18W Input voltage:100-240V Output voltage:12V Output current:1.5A Protection grade:IP20	CL-12V24W-W Name:Wall plug power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	CL-12V36W-W Name:Wall plug power supply Power:36W Input voltage:100-240V Output voltage:12V Output current:3A Protection grade:IP20
CL-3528XW030HY12-W08	5m	8m	9m	10m	15m	
CL-3528XW060HY12-W08	2m	3m	4m	5m	8m	
CL-3528XW090HY12-W08	1m	2m	3m	4m	6m	
CL-3528XW120HY12-W08	1m	1m	2m	3m	4.5m	
CL-3528XW240HY12-W15			1m	1m	2m	

*3825 LED strip working voltage: 12V

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec. Length of strip	CL-12V48W-D Name: Desktop power supply Power:48W Input voltage:100-240V Output voltage:12V Output current:4A Protection grade:IP20	CL-12V60W-D Name: Desktop power supply Power:60W Input voltage:100-240V Output voltage:12V Output current:5A Protection grade:IP20	CL-12V72W-D Name: Desktop power supply Power:72W Input voltage:100-240V Output voltage:12V Output current:6A Protection grade:IP20	CL-12V84W-D Name: Desktop power supply Power:84W Input voltage:100-240V Output voltage:12V Output current:7A Protection grade:IP20	CL-12V96W-D Name: Desktop power supply Power:96W Input voltage:100-240V Output voltage:12V Output current:8A Protection grade:IP20
CL-3528XW030HY12-W08	20m	30m	35m	40m	45m	
CL-3528XW060HY12-W08	10m	15m	18m	20m	25m	
CL-3528XW090HY12-W08	8m	9m	10m	12m	15m	
CL-3528XW120HY12-W08	5m	7m	8m	9m	10m	
CL-3528XW240HY12-W15	2m	3m	4m	5m	6m	

*3825 LED strip working voltage: 12V

DC12V adapter/Adapter specification

Power supply Model & Spec.	CL-12V6W-D	CL-12V24W-D	CL-12V36W-D	CL-12V45W-D
Length of strip	Name:Constant voltage plastic housing power supply Power:6W Input voltage:100-240V Output voltage:12V Output current:0.5A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:36W Input voltage:100-240V Output voltage:12V Output current:3A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:45W Input voltage:100-240V Output voltage:12V Output current:3.75A Protection grade:IP20
LED strip model				
CL-3528XW030HY12-W08	3m	10m	15m	20m
CL-3528XW060HY12-W08	1m	5m	8m	10m
CL-3528XW090HY12-W08		4m	5m	6m
CL-3528XW120HY12-W08		3m	4m	5m
CL-3528XW240HY12-W15		1m	2m	2.5m

*3825 LED strip working voltage: 12V

*2 year warranty

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec.	CL-12V30W-IP67	CL-12V40W-IP67	CL-12V50W-IP67	CL-12V60W-IP67	CL-12V80W-IP67
	Length of strip	Name:Waterproof power supply Power:30W Input voltage:197-265V Output voltage:12V Output current:2.5A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:40W Input voltage:197-265V Output voltage:12V Output current:3.3A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:50W Input voltage:197-265V Output voltage:12V Output current:4.1A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:60W Input voltage:197-265V Output voltage:12V Output current:5A Protection grade:IP67 Size: 178*69*43mm	Name:Waterproof power supply Power:80W Input voltage:197-265V Output voltage:12V Output current:6.6A Protection grade:IP67 Size: 178*69*43mm
CL-3528XW030HY12-W08	15m	20m	25m	30m	40m	
CL-3528XW060HY12-W08	7m	10m	12m	15m	20m	
CL-3528XW090HY12-W08	5m	6m	8m	10m	12m	
CL-3528XW120HY12-W08	3m	4m	6m	7m	10m	
CL-3528XW240HY12-W15	1m	2m	3m	4m	5m	

*3825 LED strip working voltage: 12V
*2 year warranty

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec.	CL-12V100W-IP67	CL-12V120W-IP67	CL-12V150W-IP67	CL-12V200W-IP67	CL-12V250W-IP67
	Length of strip	Name:Waterproof power supply Power:100W Input voltage:197-265V Output voltage:12V Output current:8.3A Protection grade:IP67 Size: 210*69*43mm	Name:Waterproof power supply Power:120W Input voltage:197-265V Output voltage:12V Output current:10A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:150W Input voltage:197-265V Output voltage:12V Output current:12.5A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:200W Input voltage:197-265V Output voltage:12V Output current:1.6A Protection grade:IP67 Size: 235*126*59mm	Name:Waterproof power supply Power:250W Input voltage:197-265V Output voltage:12V Output current:16.6A Protection grade:IP67 Size: 235*126*59mm
CL-3528XW030HY12-W08	50m	60m	75m	100m	120m	
CL-3528XW060HY12-W08	20m	25m	35m	40m	50m	
CL-3528XW090HY12-W08	15m	18m	25m	30m	35m	
CL-3528XW120HY12-W08	10m	13m	19m	22m	30m	
CL-3528XW240HY12-W15	5m	6m	9m	10m	13m	

*3825 LED strip working voltage: 12V
*2 year warranty

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec.	CL-12V24W-S	CL-12V40W-S	CL-12V48W-S	CL-12V60W-S	CL-12V75W-S
	Length of strip	Name:Standard switch power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	Name:Standard switch power supply Power:40W Input voltage:100-240V Output voltage:12V Output current:3.2A Protection grade:IP20	Name:Standard switch power supply Power:48W Input voltage:100-240V Output voltage:12V Output current:4A Protection grade:IP20	Name:Standard switch power supply Power:60W Input voltage:100-240V Output voltage:12V Output current:5A Protection grade:IP20	Name:Standard switch power supply Power:75W Input voltage:100-240V Output voltage:12V Output current:6.3A Protection grade:IP20
CL-3528XW030HY12-W08	10m	18m	20m	25m	30m	
CL-3528XW060HY12-W08	5m	10m	12m	15m	6m	
CL-3528XW090HY12-W08	3m	6m	7m	9m	10m	
CL-3528XW120HY12-W08	2m	4m	5m	8m	9m	
CL-3528XW240HY12-W15	1m	2m	3m	4m	5m	

*3825 LED strip working voltage: 12V
*1 year warranty

DC12V adapter/Adapter specification

LED strip model	Power supply Model & Spec.	CL-12V100W-S	CL-12V120W-S	CL-12V150W-S	CL-12V180W-S	CL-12V200W-S
	Length of strip	Name:Standard switch power supply Power:100W Input voltage:100-240V Output voltage:12V Output current:8.5A Protection grade:IP20	Name:Standard switch power supply Power:120W Input voltage:100-240V Output voltage:12V Output current:10A Protection grade:IP20	Name:Standard switch power supply Power:150W Input voltage:100-240V Output voltage:12V Output current:12.5A Protection grade:IP20	Name:Standard switch power supply Power:180W Input voltage:100-240V Output voltage:12V Output current:15A Protection grade:IP20	Name:Standard switch power supply Power:200W Input voltage:100-240V Output voltage:12V Output current:16.6A Protection grade:IP20
CL-3528XW030HY12-W08		50m	60m	75m	90m	100m
CL-3528XW060HY12-W08		25m	30m	35m	40m	45m
CL-3528XW090HY12-W08		5m	6m	8m	10m	22m
CL-3528XW120HY12-W08		5m	6m	8m	10m	22m
CL-3528XW240HY12-W15		5m	6m	8m	10m	22m

*3825 LED strip working voltage: 12V
*1 year warranty

DC12V adapter/Adapter specification

Power supply Model & Spec.	CL-12V250W-S	CL-12V300W-S	CL-12V360W-S	CL-12V400W-S	CL-12V420W-S
Length of strip	Name:Standard switch power supply Power:250W Input voltage:100-240V Output voltage:12V Output current:20.8A Protection grade:IP20	Name:Standard switch power supply Power:300W Input voltage:100-240V Output voltage:12V Output current:25A Protection grade:IP20	Name:Standard switch power supply Power:360W Input voltage:100-240V Output voltage:12V Output current:30A Protection grade:IP20	Name:Standard switch power supply Power:400W Input voltage:100-240V Output voltage:12V Output current:33.3A Protection grade:IP20	Name:Standard switch power supply Power:420W Input voltage:100-240V Output voltage:12V Output current:35A Protection grade:IP20
LED strip model					
CL-3528XW030HY12-W08	100m	150m	180m	200m	210m
CL-3528XW060HY12-W08	50m	60m	70m	85m	90m
CL-3528XW090HY12-W08	30m	35m	40m	45m	47m
CL-3528XW120HY12-W08	25m	28m	35m	40m	42m
CL-3528XW240HY12-W15	15m	18m	20m	25m	26m

*3825 LED strip working voltage: 12V
*1 year warranty

DC24V adapter/Adapter specification

LED strip model	Length of strip	Power supply Model & Spec.	CL-24V48W-D	CL-24V60W-D	CL-24V72W-D	CL-24V84W-D	CL-24V96W-D
		Name:Desktop power supply Power:48W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Desktop power supply Power:60W Input voltage:100-240V Output voltage:24V Output current:2.5A Protection grade:IP20	Name:Desktop power supply Power:72W Input voltage:100-240V Output voltage:24V Output current:3A Protection grade:IP20	Name:Desktop power supply Power:84W Input voltage:100-240V Output voltage:24V Output current:3.5A Protection grade:IP20	Name:Desktop power supply Power:96W Input voltage:100-240V Output voltage:24V Output current:4A Protection grade:IP20	
CL-3528XW060HY24-W08	10m						
CL-3528XW120HY24-W08	6m						
CL-3528XW240HY24-W15	2m						

*3825 LED strip working voltage: 24V

*2 year warranty

LED strip model	Length of strip	Power supply Model & Spec.	CL-24V6W-D	CL-24V24W-D	CL-24V36W-D	CL-24V45W-D
		Name:Constant voltage plastic housing power supply Power:6W Input voltage:100-240V Output voltage:24V Output current:0.5A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:24W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:36W Input voltage:100-240V Output voltage:24V Output current:3A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:45W Input voltage:100-240V Output voltage:24V Output current:3.75A Protection grade:IP20	
CL-3528XW060HY24-W08	1m					
CL-3528XW120HY24-W08						
CL-3528XW240HY24-W15						

*3825 LED strip working voltage: 24V

*2 year warranty

DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V30W-IP67	CL-24V40W-IP67	CL-24V50W-IP67	CL-24V60W-IP67	CL-24V80W-IP67
	Name:Waterproof power supply Power:30W Input voltage:197-265V Output voltage:24V Output current:1.25A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:40W Input voltage:197-265V Output voltage:24V Output current:1.6A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:50W Input voltage:197-265V Output voltage:24V Output current:2.08A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:60W Input voltage:197-265V Output voltage:24V Output current:2.5A Protection grade:IP67 Size: 178*69*43mm	Name:Waterproof power supply Power:80W Input voltage:197-265V Output voltage:24V Output current:3.3A Protection grade:IP67 Size: 178*69*43mm
Length of strip	6m	8m	10m	12m	15m
LED strip model	CL-3528XW060HY24-W08	CL-3528XW120HY24-W08	CL-3528XW240HY24-W15		

*3825 LED strip working voltage: 24V
*2 year warranty

Power supply Model & Spec.	CL-24V100W-IP67	CL-24V120W-IP67	CL-24V150W-IP67	CL-24V200W-IP67	CL-24V250W-IP67
	Name:Waterproof power supply Power:100W Input voltage:197-265V Output voltage:24V Output current:4.1A Protection grade:IP67 Size: 210*69*43mm	Name:Waterproof power supply Power:120W Input voltage:197-265V Output voltage:24V Output current:5A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:150W Input voltage:197-265V Output voltage:24V Output current:6.25A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:200W Input voltage:197-265V Output voltage:24V Output current:0.84A Protection grade:IP67 Size: 235*126*59mm	Name:Waterproof power supply Power:250W Input voltage:197-265V Output voltage:24V Output current:8.3A Protection grade:IP67 Size: 235*126*59mm
Length of strip	20m	25m	30m	40m	45m
LED strip model	CL-3528XW060HY24-W08	CL-3528XW120HY24-W08	CL-3528XW240HY24-W15		

*3825 LED strip working voltage: 24V
*2 year warranty

DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V24W-S	CL-24V40W-S	CL-24V48W-S	CL-24V60W-S	CL-24V75W-S
	Name:Standard switch power supply Power:24W Input voltage:100-240V Output voltage:24V Output current:1A Protection grade:IP20	Name:Standard switch power supply Power:40W Input voltage:100-240V Output voltage:24V Output current:1.6A Protection grade:IP20	Name:Standard switch power supply Power:48W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Standard switch power supply Power:60W Input voltage:100-240V Output voltage:24V Output current:2.5A Protection grade:IP20	Name:Standard switch power supply Power:75W Input voltage:100-240V Output voltage:24V Output current:3.15A Protection grade:IP20
Length of strip	5m	10m	10m	12m	15m
LED strip model	CL-3528XW060HY24-W08	CL-3528XW120HY24-W08	CL-3528XW240HY24-W15		
	5m	10m	10m	12m	15m
	2m	4m	5m	6m	7m
	1m	2m	2m	3m	4m

*3825 LED strip working voltage: 24V
*1 year warranty

Power supply Model & Spec.	CL-24V100W-S	CL-24V120W-S	CL-24V150W-S	CL-24V180W-S	CL-24V200W-S
	Name:Standard switch power supply Power:100W Input voltage:100-240V Output voltage:24V Output current:4.25A Protection grade:IP20	Name:Standard switch power supply Power:120W Input voltage:100-240V Output voltage:24V Output current:5A Protection grade:IP20	Name:Standard switch power supply Power:150W Input voltage:100-240V Output voltage:24V Output current:6.25A Protection grade:IP20	Name:Standard switch power supply Power:180W Input voltage:100-240V Output voltage:24V Output current:7.5A Protection grade:IP20	Name:Standard switch power supply Power:200W Input voltage:100-240V Output voltage:24V Output current:8.3A Protection grade:IP20
Length of strip	20m	25m	30m	35m	40m
LED strip model	CL-3528XW060HY24-W08	CL-3528XW120HY24-W08	CL-3528XW240HY24-W15		
	20m	25m	30m	35m	40m
	10m	12m	15m	18m	25m
	5m	6m	7m	8m	10m

*3825 LED strip working voltage: 24V
*1 year warranty

DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V250W-S	CL-24V300W-S	CL-24V360W-S	CL-24V400W-S	CL-24V420W-S
Length of strip	Name:Standard switch power supply Power:250W Input voltage:100-240V Output voltage:24V Output current:10.4A Protection grade:IP20	Name:Standard switch power supply Power:300W Input voltage:100-240V Output voltage:24V Output current:12.5A Protection grade:IP20	Name:Standard switch power supply Power:360W Input voltage:100-240V Output voltage:24V Output current:15A Protection grade:IP20	Name:Standard switch power supply Power:400W Input voltage:100-240V Output voltage:24V Output current:16.6A Protection grade:IP20	Name:Standard switch power supply Power:420W Input voltage:100-240V Output voltage:24V Output current:17.5A Protection grade:IP20
LED strip model					
CL-3528XW060HY24-W08	60m	80m	100m	110m	120m
CL-3528XW120HY24-W08	25m	30m	35m	40m	45m
CL-3528XW240HY24-W15	15m	23m	26m	28m	30m

*3825 LED strip working voltage: 24V
*1 year warranty