

## DC12V adapter/Adapter specification

Power supply Model & Spec.	CL-12V12W-W	CL-12V15W-W	CL-12V18W-W	CL-12V24W-W	CL-12V36W-W
	Name:Wall plug power supply Power:12W Input voltage:100-240V Output voltage:12V Output current:1A Protection grade:IP20	Name:Wall plug power supply Power:15W Input voltage:100-240V Output voltage:12V Output current:1.25A Protection grade:IP20	Name:Wall plug power supply Power:18W Input voltage:100-240V Output voltage:12V Output current:1.5A Protection grade:IP20	Name:Wall plug power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	Name:Wall plug power supply Power:36W Input voltage:100-240V Output voltage:12V Output current:3A Protection grade:IP20
Length of strip					
LED strip model					
CL-5050XW030HY12-W10	1m	2m	3m	5m	7m
CL-5050XW060HY12-W10	1m	1m	1.5m	2m	4m
CL-5050XW120HY12-W20	0.5m	0.5m	0.5m	1m	2m

\*5050 LED strip working voltage: 12V

Power supply Model & Spec.	CL-12V48W-D	CL-12V60W-D	CL-12V72W-D	CL-12V84W-D	CL-12V96W-D
	Name: Desktop power supply Power:48W Input voltage:100-240V Output voltage:12V Output current:4A Protection grade:IP20	Name: Desktop power supply Power:60W Input voltage:100-240V Output voltage:12V Output current:5A Protection grade:IP20	Name: Desktop power supply Power:72W Input voltage:100-240V Output voltage:12V Output current:6A Protection grade:IP20	Name: Desktop power supply Power:84W Input voltage:100-240V Output voltage:12V Output current:7A Protection grade:IP20	Name: Desktop power supply Power:96W Input voltage:100-240V Output voltage:12V Output current:8A Protection grade:IP20
Length of strip					
LED strip model					
CL-5050XW030HY12-W10	10m	12m	15m	18m	20m
CL-5050XW060HY12-W10	5m	6m	7m	8m	10m
CL-5050XW120HY12-W20	3m	4m	4.5m	5m	6m

\*5050 LED strip working voltage: 12V

LED strip model	Power supply Model & Spec.	CL-12V6W-D	CL-12V24W-D	CL-12V36W-D	CL-12V45W-D
	Length of strip	Name:Constant voltage plastic housing power supply Power:6W Input voltage:100-240V Output voltage:12V Output current:0.5A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:36W Input voltage:100-240V Output voltage:12V Output current:3A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:45W Input voltage:100-240V Output voltage:12V Output current:3.75A Protection grade:IP20
CL-5050XW030HY12-W10		1m	5m	7m	8m
CL-5050XW060HY12-W10		0.5m		1.5m	2m
CL-5050XW120HY12-W20			1m	1.5m	2m

\*5050 LED strip working voltage: 12V  
\*2 year warranty

LED strip model	Power supply Model & Spec.	CL-12V30W-IP67	CL-12V40W-IP67	CL-12V50W-IP67	CL-12V60W-IP67	CL-12V80W-IP67
	Length of strip	Name:Waterproof power supply Power:30W Input voltage:197-265V Output voltage:12V Output current:2.5A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:40W Input voltage:197-265V Output voltage:12V Output current:3.3A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:50W Input voltage:197-265V Output voltage:12V Output current:4.1A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:60W Input voltage:197-265V Output voltage:12V Output current:5A Protection grade:IP67 Size: 178*69*43mm	Name:Waterproof power supply Power:80W Input voltage:197-265V Output voltage:12V Output current:6.6A Protection grade:IP67 Size: 178*69*43mm
CL-5050XW030HY12-W10		5m	8m	10m	12m	15m
CL-5050XW060HY12-W10		2m	2m	2m	3m	4m
CL-5050XW120HY12-W20		1m	2m	3m	3.5m	5m

\*5050 LED strip working voltage: 12V  
\*2 year warranty

DC12V adapter/Adapter specification

Power supply Model & Spec.	CL-12V100W-IP67	CL-12V120W-IP67	CL-12V150W-IP67	CL-12V200W-IP67	CL-12V250W-IP67
	Length of strip	Name:Waterproof power supply Power:100W Input voltage:197-265V Output voltage:12V Output current:8.3A Protection grade:IP67 Size: 210*69*43mm	Name:Waterproof power supply Power:120W Input voltage:197-265V Output voltage:12V Output current:10A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:150W Input voltage:197-265V Output voltage:12V Output current:12.5A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:200W Input voltage:197-265V Output voltage:12V Output current:1.6A Protection grade:IP67 Size: 235*126*59mm
LED strip model	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10	CL-5050XW120HY12-W20	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10
	20m	10m	5m	25m	12m
	25m	6m	8m	30m	10m
	30m	8m	10m	40m	12m
	40m	10m	12m	50m	15m
	50m	12m	15m		20m
		15m	20m		25m
		20m	25m		

\*5050 LED strip working voltage: 12V  
\*2 year warranty

Power supply Model & Spec.	CL-12V24W-S	CL-12V40W-S	CL-12V48W-S	CL-12V60W-S	CL-12V75W-S
	Length of strip	Name:Standard switch power supply Power:24W Input voltage:100-240V Output voltage:12V Output current:2A Protection grade:IP20	Name:Standard switch power supply Power:40W Input voltage:100-240V Output voltage:12V Output current:3.2A Protection grade:IP20	Name:Standard switch power supply Power:48W Input voltage:100-240V Output voltage:12V Output current:4A Protection grade:IP20	Name:Standard switch power supply Power:60W Input voltage:100-240V Output voltage:12V Output current:5A Protection grade:IP20
LED strip model	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10	CL-5050XW120HY12-W20	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10
	5m	2m	1m	8m	26m
	8m	3m	2m	10m	4m
	10m	4m	3m	12m	4m
	12m	5m	4m	15m	6m
	15m	6m	6m		
		6m	4m		
		4m	3m		
		3m	4m		

\*5050 LED strip working voltage: 12V  
\*1 year warranty

DC12V adapter/Adapter specification

Power supply Model & Spec.	CL-12V100W-S	CL-12V120W-S	CL-12V150W-S	CL-12V180W-S	CL-12V200W-S
	Name:Standard switch power supply Power:100W Input voltage:100-240V Output voltage:12V Output current:8.5A Protection grade:IP20	Name:Standard switch power supply Power:120W Input voltage:100-240V Output voltage:12V Output current:10A Protection grade:IP20	Name:Standard switch power supply Power:150W Input voltage:100-240V Output voltage:12V Output current:12.5A Protection grade:IP20	Name:Standard switch power supply Power:180W Input voltage:100-240V Output voltage:12V Output current:15A Protection grade:IP20	Name:Standard switch power supply Power:200W Input voltage:100-240V Output voltage:12V Output current:16.6A Protection grade:IP20
Length of strip	20m	25m	9m	11m	12m
LED strip model	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10	CL-5050XW120HY12-W20		
	10m	12m	15m	18m	20m
	5m	6m	8m	10m	22m

\*5050 LED strip working voltage: 12V  
\*1 year warranty

Power supply Model & Spec.	CL-12V250W-S	CL-12V300W-S	CL-12V360W-S	CL-12V400W-S	CL-12V420W-S
	Name:Standard switch power supply Power:250W Input voltage:100-240V Output voltage:12V Output current:20.8A Protection grade:IP20	Name:Standard switch power supply Power:300W Input voltage:100-240V Output voltage:12V Output current:25A Protection grade:IP20	Name:Standard switch power supply Power:360W Input voltage:100-240V Output voltage:12V Output current:30A Protection grade:IP20	Name:Standard switch power supply Power:400W Input voltage:100-240V Output voltage:12V Output current:33.3A Protection grade:IP20	Name:Standard switch power supply Power:420W Input voltage:100-240V Output voltage:12V Output current:35A Protection grade:IP20
Length of strip	30m	40m	45m	50m	53m
LED strip model	CL-5050XW030HY12-W10	CL-5050XW060HY12-W10	CL-5050XW120HY12-W20		
	10m	12m	15m	16m	17m
	12m	12m	15m	18m	20m

\*5050 LED strip working voltage: 12V  
\*1 year warranty

DC24V adapter/Adapter specification

LED strip model	Length of strip	Power supply Model & Spec.	CL-24V48W-D	CL-24V60W-D	CL-24V72W-D	CL-24V84W-D	CL-24V96W-D
		Name:Desktop power supply Power:48W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Desktop power supply Power:60W Input voltage:100-240V Output voltage:24V Output current:2.5A Protection grade:IP20	Name:Desktop power supply Power:72W Input voltage:100-240V Output voltage:24V Output current:3A Protection grade:IP20	Name:Desktop power supply Power:84W Input voltage:100-240V Output voltage:24V Output current:3.5A Protection grade:IP20	Name:Desktop power supply Power:96W Input voltage:100-240V Output voltage:24V Output current:4A Protection grade:IP20	
CL-5050XW030HY24-W10	5m		10m	12m	15m	20m	
CL-5050XW060HY24-W10	3m		5m	6m	7m	8m	
CL-5050XW120HY24-W20	2m		2.5m	3m	4m	5m	

\*5050 LED strip working voltage: 24V  
\*2 year warranty

LED strip model	Length of strip	Power supply Model & Spec.	CL-24V6W-D	CL-24V24W-D	CL-24V36W-D	CL-24V45W-D
		Name:Constant voltage plastic housing power supply Power:6W Input voltage:100-240V Output voltage:24V Output current:0.5A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:24W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:36W Input voltage:100-240V Output voltage:24V Output current:3A Protection grade:IP20	Name:Constant voltage plastic housing power supply Power:45W Input voltage:100-240V Output voltage:24V Output current:3.75A Protection grade:IP20	
CL-5050XW030HY24-W10	1m		5m	7m	8m	
CL-5050XW060HY24-W10	1m		2m	2m	3m	
CL-5050XW120HY24-W20			1m	1.5m	2m	

\*5050 LED strip working voltage: 24V  
\*2 year warranty

DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V30W-IP67	CL-24V40W-IP67	CL-24V50W-IP67	CL-24V60W-IP67	CL-24V80W-IP67
	Name:Waterproof power supply Power:30W Input voltage:197-265V Output voltage:24V Output current:1.25A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:40W Input voltage:197-265V Output voltage:24V Output current:1.6A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:50W Input voltage:197-265V Output voltage:24V Output current:2.08A Protection grade:IP67 Size: 222*30*20mm	Name:Waterproof power supply Power:60W Input voltage:197-265V Output voltage:24V Output current:2.5A Protection grade:IP67 Size: 178*69*43mm	Name:Waterproof power supply Power:80W Input voltage:197-265V Output voltage:24V Output current:3.3A Protection grade:IP67 Size: 178*69*43mm
Length of strip	5m	8m	10m	12m	15m
LED strip model	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20
	5m	8m	10m	12m	15m
	2m	3m	4m	3m	5m
	1m	2m	2m	3m	4m

\*5050 LED strip working voltage: 24V  
\*2 year warranty

Power supply Model & Spec.	CL-24V100W-IP67	CL-24V120W-IP67	CL-24V150W-IP67	CL-24V200W-IP67	CL-24V250W-IP67
	Name:Waterproof power supply Power:100W Input voltage:197-265V Output voltage:24V Output current:4.1A Protection grade:IP67 Size: 210*69*43mm	Name:Waterproof power supply Power:120W Input voltage:197-265V Output voltage:24V Output current:5A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:150W Input voltage:197-265V Output voltage:24V Output current:6.25A Protection grade:IP67 Size: 240*69*43mm	Name:Waterproof power supply Power:200W Input voltage:197-265V Output voltage:24V Output current:0.84A Protection grade:IP67 Size: 235*126*59mm	Name:Waterproof power supply Power:250W Input voltage:197-265V Output voltage:24V Output current:8.3A Protection grade:IP67 Size: 235*126*59mm
Length of strip	20m	25m	30m	40m	45m
LED strip model	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20
	20m	25m	30m	40m	45m
	10m	12m	15m	20m	25m
	5m	6m	8m	10m	13m

\*5050 LED strip working voltage: 24V  
\*2 year warranty

## DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V24W-S	CL-24V40W-S	CL-24V48W-S	CL-24V60W-S	CL-24V75W-S
	Name:Standard switch power supply Power:24W Input voltage:100-240V Output voltage:24V Output current:1A Protection grade:IP20	Name:Standard switch power supply Power:40W Input voltage:100-240V Output voltage:24V Output current:1.6A Protection grade:IP20	Name:Standard switch power supply Power:48W Input voltage:100-240V Output voltage:24V Output current:2A Protection grade:IP20	Name:Standard switch power supply Power:60W Input voltage:100-240V Output voltage:24V Output current:2.5A Protection grade:IP20	Name:Standard switch power supply Power:75W Input voltage:100-240V Output voltage:24V Output current:3.15A Protection grade:IP20
Length of strip	5m	8m	10m	12m	15m
	2m	2m	3m	3m	4m
LED strip model	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10
	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10

\*5050 LED strip working voltage: 24V

\*1 year warranty

Power supply Model & Spec.	CL-24V100W-S	CL-24V120W-S	CL-24V150W-S	CL-24V180W-S	CL-24V200W-S
	Name:Standard switch power supply Power:100W Input voltage:100-240V Output voltage:24V Output current:4.25A Protection grade:IP20	Name:Standard switch power supply Power:120W Input voltage:100-240V Output voltage:24V Output current:5A Protection grade:IP20	Name:Standard switch power supply Power:150W Input voltage:100-240V Output voltage:24V Output current:6.25A Protection grade:IP20	Name:Standard switch power supply Power:180W Input voltage:100-240V Output voltage:24V Output current:7.5A Protection grade:IP20	Name:Standard switch power supply Power:200W Input voltage:100-240V Output voltage:24V Output current:8.3A Protection grade:IP20
Length of strip	20m	25m	30m	35m	40m
	10m	12m	15m	18m	20m
LED strip model	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10
	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10	CL-5050XW120HY24-W20	CL-5050XW030HY24-W10	CL-5050XW060HY24-W10

\*5050 LED strip working voltage: 24V

\*1 year warranty

DC24V adapter/Adapter specification

Power supply Model & Spec.	CL-24V250W-S	CL-24V300W-S	CL-24V360W-S	CL-24V400W-S	CL-24V420W-S
Length of strip	Name:Standard switch power supply Power:250W Input voltage:100-240V Output voltage:24V Output current:10.4A Protection grade:IP20	Name:Standard switch power supply Power:300W Input voltage:100-240V Output voltage:24V Output current:12.5A Protection grade:IP20	Name:Standard switch power supply Power:360W Input voltage:100-240V Output voltage:24V Output current:15A Protection grade:IP20	Name:Standard switch power supply Power:400W Input voltage:100-240V Output voltage:24V Output current:16.6A Protection grade:IP20	Name:Standard switch power supply Power:420W Input voltage:100-240V Output voltage:24V Output current:17.5A Protection grade:IP20
LED strip model					
CL-5050XW030HY24-W10	30m	35m	40m	45m	50m
CL-5050XW060HY24-W10	25m	30m	35m	40m	45m
CL-5050XW120HY24-W20	10m	15m	18m	20m	20m

\*5050 LED strip working voltage: 24V  
\*1 year warranty