




CF40 Series Linear Light



CF40-02 UGR<19




Model	CF40-02
Power rating	4W
Working Vol.	220-240V
Qty of LEDs	2pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H60*L83mm
Warranty	5 years
Packing details	60pcs/ctn, Outer carton 595*285*380mm



Note : Accessories of installation are included.



CF40-03 UGR<19




Model	CF40-03
Power rating	6W
Working Vol.	220-240V
Qty of LEDs	3pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H60*L108.5mm
Warranty	5 years
Packing details	60pcs/ctn, Outer carton 595*340*380mm

Note : Accessories of installation are included.





CF40-05 UGR<19




Model	CF40-05
Power rating	10W
Working Vol.	220-240V
Qty of LEDs	5pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H60*L162mm
Warranty	5 years
Packing details	60pcs/ctn, Outer carton 595*452*380mm

Note : Accessories of installation are included.





CF40-10 UGR<19




Model	CF40-10
Power rating	20W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H60*L428mm
Warranty	5 years
Packing details	20pcs/ctn, Outer carton 595*380*305mm

Note : Accessories of installation are included.





CF40-15 UGR<19




Model	CF40-15
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	15pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H60*L295mm
Warranty	5 years
Packing details	20pcs/ctn, Outer carton 540*335*305mm

Note : Accessories of installation are included.





CF40-10-F




Model	CF40-10-F
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	140pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H60*L1025mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1100*455*150mm

Note : Accessories of installation are included.





CF40-12-F




Model	CF40-12-F
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	196pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H60*L1225mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1300*455*150mm

Note : Accessories of installation are included.





CF40-15-F



Model	CF40-15-F
Power rating	50W
Working Vol.	220-240V
Qty of LEDs	224pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H60*L1525mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1600*365*150mm

Note : Accessories of installation are included.








CF40-10-2C UGR<19




Model	CF40-10-2C
Power rating	20W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W55.5*H60*L1025mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1100*455*150mm

Note : Accessories of installation are included.







CF40-12-3C UGR<19



Model	CF40-12-3C
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	15pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W55.5*H60*L1225mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1300*455*150mm

Note : Accessories of installation are included.








CF40-15-4C UGR<19



Model	CF40-15-4C
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	20pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W55.5*H60*L1525mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1600*365*150mm

Note : Accessories of installation are included.






CH40 Series Linear Light





CH40-10-2C, UGR<19, up and down lighting



Model	CH40-10-2C
Power rating	35W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE 20W + 70pcs SMD2835 15W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	down: part spot 10°/ 36° / 48° up: part PMMA cover 100°
Dimension	W35*H906*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1160*235*220mm

Note: Accessories of installation are included.








CH40-12-3C, UGR<19, up and down lighting



Model	CH40-12-3C
Power rating	45W
Working Vol.	220-240V
Qty of LEDs	15pcs CREE XTE 30W + 84pcs SMD2835 15W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	down: part spot 10°/ 36° / 48° up: part PMMA cover 100°
Dimension	W35*H906*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1360*235*220mm



Note: Accessories of installation are included.






CH40-15-4C, UGR<19, up and down lighting






Model	CH40-15-4C
Power rating	55W
Working Vol.	220-240V
Qty of LEDs	20pcs CREE XTE 40W + 98pcs SMD2835 15W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	down: part spot 10°/ 36° / 48° up: part PMMA cover 100°
Dimension	W35*H906*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1660*310*110mm

Note: Accessories of installation are included.





CH40-10-F, up and down lighting






Model	CH40-10-F
Power rating	45W
Working Vol.	220-240V
Qty of LEDs	up: 70pcs SMD 2835 15W + down: 140pcs SMD2835 30W
Luminous efficiency	up: 65lm/W, down: 90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H906*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1160*235*220mm

Note: Accessories of installation are included.





CH40-12-F, up and down lighting






Model	CH40-12-F
Power rating	55W
Working Vol.	220-240V
Qty of LEDs	up: 84pcs SMD 2835 15W + down: 196pcs SMD2835 30W
Luminous efficiency	up: 65lm/W, down: 90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H906*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1360*235*220mm

Note: Accessories of installation are included.






CH40-15-F, up and down lighting



Model	CH40-15-F
Power rating	45W
Working Vol.	220-240V
Qty of LEDs	up: 98pcs SMD 2835 15W + down: 224pcs SMD2835 30W
Luminous efficiency	up: 65lm/W, down: 90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H906*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1660*310*110mm

Note: Accessories of installation are included.






CK40 Series Linear Light



CK40-02 UGR<19




Model	CK40-02
Power rating	4W
Working Vol.	220-240V
Qty of LEDs	2pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H30*L83mm
Warranty	5 years
Packing details	75pcs/ctn, Outer carton 595*285*395mm



Note : Accessories of installation are included.



CK40-03 UGR<19




Model	CK40-03
Power rating	6W
Working Vol.	220-240V
Qty of LEDs	3pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H30*L108.5mm
Warranty	5 years
Packing details	75pcs/ctn, Outer carton 595*340*395mm



Note : Accessories of installation are included.



CK40-05 UGR<19




Model	CK40-05
Power rating	10W
Working Vol.	220-240V
Qty of LEDs	5pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.5
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H30*L162mm
Warranty	5 years
Packing details	60pcs/ctn, Outer carton 595*452*305mm



Note : Accessories of installation are included.



CK40-10 UGR<19




Model	CK40-10
Power rating	20W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H30*L428mm
Warranty	5 years
Packing details	20pcs/ctn, Outer carton 595*330*380mm

Note : Accessories of installation are included.





CK40-15 UGR<19




Model	CK40-15
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	15pcs CREE XTE(1-5W)
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Lens degree	10° /36° /48°
Dimension	W55.5*H30*L295mm
Warranty	5 years
Packing details	20pcs/ctn, Outer carton 540*335*225mm

Note : Accessories of installation are included.





CK40-10-F




Model	CK40-10-F
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	140pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H30*L1025mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1120*335*105mm



Note : Accessories of installation are included.



CK40-12-F




Model	CK40-12-F
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	196pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H30*L1225mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1320*335*105mm



Note : Accessories of installation are included.



CK40-15-F



Model	CK40-15-F
Power rating	50W
Working Vol.	220-240V
Qty of LEDs	224pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W55.5*H30*L1525mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1620*290*105mm




Note : Accessories of installation are included.



CR40 Series Linear Light





CR40-10-F




Model	CR40-10-F
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	140pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H75.6*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1170*230*192mm

Note: Accessories of installation are included.







CR40-12-F




Model	CR40-12-F
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	196pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H75.6*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1370*230*192mm

Note: Accessories of installation are included.






CR40-15-F







Model	CR40-15-F
Power rating	50W
Working Vol.	220-240V
Qty of LEDs	224pcs SMD2835
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	100°
Dimension	W35*H75.6*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1670*355*110mm

Note: Accessories of installation are included.





CR40-10-2F UGR<19





Model	CR40-10-2F
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE 20W + 70pcs SMD2835 10W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	Part spot: 10°/ 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1170*230*192mm

Note: Accessories of installation are included.







CR40-12-2F UGR<19





Model	CR40-12-2F
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE 20W + 98pcs SMD2835 20W
Luminous efficiency	90lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	Part spot: 10° / 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1370*230*192mm

Note: Accessories of installation are included.







CR40-15-2F UGR<19






Model	CR40-15-2F
Power rating	50W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE 20W + 112pcs SMD2835 30W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	Part spot: 10° / 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1670*355*110mm

Note: Accessories of installation are included.





CR40-10-1F UGR<19






Model	CR40-10-1F
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	5pcs CREE XTE 10W+ 98pcs SMD2835 20W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	Part spot: PF>0.5 / Part PMMA cover: PF>0.9
CRI	>80
Beam angle	Part spot: 10° / 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1170*230*192mm

Note: Accessories of installation are included.





CR40-12-1F UGR<19






Model	CR40-12-1F
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	5pcs CREE XTE 10W+ 140pcs SMD2835 30W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	Part spot: PF>0.5 / Part PMMA cover: PF>0.9
CRI	>80
Beam angle	Part spot: 10° / 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1370*230*192mm

Note: Accessories of installation are included.





CR40-15-1F UGR<19






Model	CR40-15-1F
Power rating	50W
Working Vol.	220-240V
Qty of LEDs	5pcs CREE XTE 10W+ 196pcs SMD2835 20W
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	Part spot: PF>0.5 / Part PMMA cover: PF>0.9
CRI	>80
Beam angle	Part spot: 10° / 36° / 48° Part PMMA cover: 100°
Dimension	W35*H75.6*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1670*355*110mm

Note: Accessories of installation are included.





CR40-10-2C UGR<19






Model	CR40-10-2C
Power rating	20W
Working Vol.	220-240V
Qty of LEDs	10pcs CREE XTE
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W35*H75.6*L1000mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1170*230*192mm

Note: Accessories of installation are included.



CR40-12-3C UGR<19



Model	CR40-12-3C
Power rating	30W
Working Vol.	220-240V
Qty of LEDs	15pcs CREE XTE
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W35*H75.6*L1200mm
Warranty	5 years
Packing details	10pcs/ctn, Outer carton 1370*230*192mm

Note: Accessories of installation are included.



CR40-15-4C UGR<19



Model	CR40-15-4C
Power rating	40W
Working Vol.	220-240V
Qty of LEDs	20pcs CREE XTE
Luminous efficiency	65lm/W @4000K
CCT	3000K / 4000K / 6000
PF	PF>0.9
CRI	>80
Beam angle	10° / 36° / 48°
Dimension	W35*H75.6*L1500mm
Warranty	5 years
Packing details	8pcs/ctn, Outer carton 1670*355*110mm

Note: Accessories of installation are included.

